

ENDOSCOPY CAMERAS




ENCAM 300

TECHNICAL SPECIFICATION

| MODEL | ENCAM 300 |
|------------------------|---|
| Power | 230 VAC |
| Dimension | 350*140*350 |
| Weight | 5.5 kg |
| Setting | On screen Display |
| Buttons on cam head | 4 (WB , Freeze, brightness increase & decrease) |
| Image Sensor | 1/1.8" |
| Frame rate | 60 FPS @1080 P |
| Sensor Resolution | 2.4 megapixel 1080 P |
| Recording Resolution | 1080P Full HD @60Fps |
| Snap Short Resolution | 1920*1080 Pixel |
| Focal Length of lens | 18 – 28 mm lens |
| Gain control (AGC) | Available |
| Brightness Control | 0-20 steps |
| Sharpness Adjustment | Available |
| Antie Morie | Available |
| White Balance | Push Lock |
| Camera Cable Length | 3 m |
| Powercable length | 2.5 m |
| Digital Zoom | 1x-10x |
| Recording mode | Available via USB, Pen drive |
| Output | HDMI, DVI, CVBS, SDI |
| Supported Endoscope | Rigid Endoscope / Flexible Endoscope |
| Supported Light source | LED |



PERFORMANCE FEATURES



ENCAM 300

