

ENDOSCOPY CAMERAS







YEARS OF EXCELLENCE

www.enertechhealtcare.com



TECHNICAL SPECIFICATION

| MODEL | ENCAM 100 |
|--------------------------|---|
| Image Sensor | 1/2.8" |
| Frame Rate | 60 FPS @ 720 P |
| Sensor Resolution | 1.2 Megapixel 720 P |
| Focal Length of the lens | 18 mm - 28 mm Lens |
| Gain Control (AGC) | Yes |
| Brightness Control | 0-20 Steps (Adjust according to light source intensity) |
| Settings | On Screen Display (OSD) |
| No of buttons on head | Two (W.B. and Freeze) |
| Output | VGA, CVBS |
| Sharpness Adjustment | Yes |
| Antie Morie | Yes |
| White Balance | PUSHLOCK |
| Camera Cable length | 3 meter Ultra Soft Silicon Cable |
| Power Cable Length | 2.5 Meter |
| Supported Endoscope | Rigid Endoscope/Flexible Endoscope |
| Supported Light Source | Works best with LED Light source |
| Power | 230 V.AC |
| Dimension | W.H.D. 300mm, 70mm, 200mm |
| Weight | 2 kg |
| Digital Zoom | IX-10X |





www.enertechhealtcare.com



PERFORMANCE FEATURES





